Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1	"20030131344".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L3	3692	717/136-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L4	2403	unif\$5 near (variable instruction code statement)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L5	2714	(reduc\$3 compres\$4 optimiz\$5) near5 (size space) near5 (code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L6	2200215	handle tine unif\$5 interference data adj (dependence dependance)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L7	1903084	handle tine unif\$5 (interference data adj (dependence dependance)) near5 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L8	101373	(handle tine unif\$5) same (graph code variable instruction) (interference data adj (dependence dependance)) near5 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L9	1052	L8 and L3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L10	45	L4 and L3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L11	2403	unif\$5 near (variable instruction code statement)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L12	2714	(reduc\$3 compres\$4 optimiz\$5) near5 (size space) near5 (code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46

L13	3692	717/136-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L14	101373	(handle tine unif\$5) same (graph code variable instruction) (interference data adj (dependence dependance)) near5 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L15	1	"20030131344".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L17	404	L16 and @py<"2002"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L19	294	(interference data adj (dependence dependance)) adj5 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L20	186	(interference data adj (dependence dependance)) adj2 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L21	398	(interference data adj (dependence dependance)) near2 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L22	3692	717/136-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L23	96	L22 and L19	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L24	91	L22 and L20	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L25	94	L22 and L21	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L26	102	L22 and L18	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46

						
L27	3692	717/136-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L28	2403	unif\$5 near (variable instruction code statement)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L29	2714	(reduc\$3 compres\$4 optimiz\$5) near5 (size space) near5 (code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L30	2200215	handle tine unif\$5 interference data adj (dependence dependance)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L31	1903084	handle tine unif\$5 (interference data adj (dependence dependance)) near5 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L32	101373	(handle tine unif\$5) same (graph code variable instruction) (interference data adj (dependence dependance)) near5 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L33	1052	L32 and L27	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L34	2403	unif\$5 near (variable instruction code statement)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L35	2714	(reduc\$3 compres\$4 optimiz\$5) near5 (size space) near5 (code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L36	3692	717/136-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L37	101373	(handle tine unif\$5) same (graph code variable instruction) (interference data adj (dependence dependance)) near5 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L38	186	(interference data adj (dependence dependance)) adj2 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46

Page 3

						T
L39	398	(interference data adj (dependence dependance)) near2 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L40	3692	717/136-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L41	294	(interference data adj (dependence dependance)) adj5 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L42	96	L40 and L41	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L43	91	L40 and L38	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L44	94	L40 and L39	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L45	1	"20030131344".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON .	2006/04/30 19:46
L46	1	"20030131344".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L47	9	("6070220" "6272672" "5937183" "5784276" "5812855" "5819094" "5761511" "5315646" "6226789" "6226789").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L48	45	L28 and L27	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L49	946	(interference data adj (dependence dependance)) near5 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L50	102	L40 and L49	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46

L51	294	(interference data adj (dependence dependance)) adj5 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L52	1183	(L34 L35 L37) and L36	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L56	3692	717/136-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L57	2403	unif\$5 near (variable instruction code statement)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L58	2714	(reduc\$3 compres\$4 optimiz\$5) near5 (size space) near5 (code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L59	2200215	handle tine unif\$5 interference data adj (dependence dependance)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L60	1903084	handle tine unif\$5 (interference data adj (dependence dependance)) near5 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L61	101373	(handle tine unif\$5) same (graph code variable instruction) (interference data adj (dependence dependance)) near5 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L62	1052	L61 and L56	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L63	2403	unif\$5 near (variable instruction code statement)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L64	2714	(reduc\$3 compres\$4 optimiz\$5) near5 (size space) near5 (code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L65	3692	717/136-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46

L66	101373	(handle tine unif\$5) same (graph code variable instruction) (interference data adj (dependence dependance)) near5 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L67	186	(interference data adj (dependence dependance)) adj2 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L68	398	(interference data adj (dependence dependance)) near2 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L69	3692	717/136-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L70	294	(interference data adj (dependence dependance)) adj5 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L71	96	L69 and L70	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L72	91	L69 and L67	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L73	94	L69 and L68	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L74	3692	717/136-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L75	2403	unif\$5 near (variable instruction code statement)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L76	2714	(reduc\$3 compres\$4 optimiz\$5) near5 (size space) near5 (code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L77	2200215	handle tine unif\$5 interference data adj (dependence dependance)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46

L78	1903084	handle tine unif\$5 (interference data adj (dependence dependance)) near5 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L79	101373	(handle tine unif\$5) same (graph code variable instruction) (interference data adj (dependence dependance)) near5 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L80	1052	L79 and L74	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L81	2403	unif\$5 near (variable instruction code statement)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L82	2714	(reduc\$3 compres\$4 optimiz\$5) near5 (size space) near5 (code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L83	3692	717/136-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L84	101373	(handle tine unif\$5) same (graph code variable instruction) (interference data adj (dependence dependance)) near5 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L85	186	(interference data adj (dependence dependance)) adj2 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L86	398	(interference data adj (dependence dependance)) near2 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L87	3692	717/136-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L88	294	(interference data adj (dependence dependance)) adj5 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L89	96	L87 and L88	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46

4/30/06 7:50:28 PM Page 7
C:\Documents and Settings\AFowlkes\My Documents\EAST\Workspaces\SYSTEM AND METHOD TO REDUCE THE SIZE OF EXECUTABLE

L90	91	L87 and L85	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L91	94	L87 and L86	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L92	9	("6070220" "6272672" "5937183" "5784276" "5812855" "5819094" "5761511" "5315646" "6226789" "6226789").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L93	946	(interference data adj (dependence dependance)) near5 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON ·	2006/04/30 19:46
L94	1183	(L81 L82 L84) and L83	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L95	1	"20030131344".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L96	1	"20030131344".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L97	1	"20030131344".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L98	1	"20030131344".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L99	45	L57 and L56	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L100	946	(interference data adj (dependence dependance)) near5 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L101	102	L69 and L100	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46

	<u> </u>					1
L102	45	L75 and L74	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L103	102	L87 and L93	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L104	294	(interference data adj (dependence dependance)) adj5 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L105	294	(interference data adj (dependence dependance)) adj5 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L106	1183	(L63 L64 L66) and L65	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:46
L113	293	dependence graph and (instruction or code or statement)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/04/30 19:46
S2	1	"20030131344".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/30 19:24
S15	2701	717/136-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/18 10:28
S21	1889	unif\$5 near (variable instruction code statement)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/16 10:32
S22	2121	(reduc\$3 compres\$4 optimiz\$5) near5 (size space) near5 (code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/16 10:34
S23	1916455	handle tine unif\$5 interference data adj (dependence dependance)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/16 10:36
S24	1663085	handle tine unif\$5 (interference data adj (dependence dependance)) near5 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/30 11:26

4/30/06 7:50:28 PM
C:\Documents and Settings\AFowlkes\My Documents\EAST\Workspaces\SYSTEM AND METHOD TO REDUCE THE SIZE OF EXECUTABLE

S25	83162	(handle tine unif\$5) same (graph code variable instruction) (interference data adj (dependence dependance)) near5 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/16 10:37
S26	760	S25 and S15	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/16 10:37
S28	27	S21 and S15	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/16 10:38
S30	1891	unif\$5 near (variable instruction code statement)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/18 10:29
S31	2125	(reduc\$3 compres\$4 optimiz\$5) near5 (size space) near5 (code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/18 10:29
S33	1	"20030131344".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/18 10:32
S34	2709	717/136-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/18 10:32
S39	83286	(handle tine unif\$5) same (graph code variable instruction) (interference data adj (dependence dependance)) near5 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/22 10:25
S46	862	(S30 S31 S39) and S34	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/18 10:50
S47	404	S46 and @py<"2002"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/18 10:54
S48	756	(interference data adj (dependence dependance)) near5 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/22 10:38
S49	237	(interference data adj (dependence dependance)) adj5 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/22 10:38

4/30/06 7:50:28 PM Page 10
C:\Documents and Settings\AFowlkes\My Documents\EAST\Workspaces\SYSTEM AND METHOD TO REDUCE THE SIZE OF EXECUTABLE

S50	156	(interference data adj (dependence dependance)) adj2 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/22 10:38
S51	323	(interference data adj (dependence dependance)) near2 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/22 10:38
S57	2709	717/136-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/22 10:39
S58	85	S57 and S48	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/22 10:42
S59	83	S57 and S49	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/22 10:41
S60	78	S57 and S50	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/22 10:41
S61	79	S57 and S51	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/22 10:41
S64	1	"20030131344".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 14:50
S65	3006	717/136-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 14:50
S66	2041	unif\$5 near (variable instruction code statement)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 14:50
S67	2309	(reduc\$3 compres\$4 optimiz\$5) near5 (size space) near5 (code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 14:50
S68	2013839	handle tine unif\$5 interference data adj (dependence dependance)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 14:50

S69	1745676	handle tine unif\$5 (interference data adj (dependence dependance)) near5 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 14:50
S70	89056	(handle tine unif\$5) same (graph code variable instruction) (interference data adj (dependence dependance)) near5 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 14:50
S71	850	S70 and S65	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 14:50
S72	30	S66 and S65	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 14:50
S73	2041	unif\$5 near (variable instruction code statement)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 14:50
S74	2309	(reduc\$3 compres\$4 optimiz\$5) near5 (size space) near5 (code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 14:50
S75	3006	717/136-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 14:50
S76	89056	(handle tine unif\$5) same (graph code variable instruction) (interference data adj (dependence dependance)) near5 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 14:50
S77	1	"20030131344".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 14:50
S78	957	(S73 S74 S76) and S75	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 14:50
S79	404	S78 and @py<"2002"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 14:50
S80	807	(interference data adj (dependence dependance)) near5 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 14:50

4/30/06 7:50:28 PM
C:\Documents and Settings\AFowlkes\My Documents\EAST\Workspaces\SYSTEM AND METHOD TO REDUCE THE SIZE OF EXECUTABLE

S81	254	(interference data adj (dependence	US-PGPUB;	OR	ON	2005/05/13 14:50
		dependance)) adj5 graph	USPAT; EPO; JPO; IBM_TDB			
S82	166	(interference data adj (dependence dependance)) adj2 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 14:50
S83	341	(interference data adj (dependence dependance)) near2 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 14:50
S84	3006	717/136-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 14:50
S85	. 87	S84 and S81	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 14:50
S86	82	S84 and S82	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 14:50
S87	83	S84 and S83	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 14:50
S88	89	S84 and S80	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 14:50
S89	9	("6070220" "6272672" "5937183" "5784276" "5812855" "5819094" "5761511" "5315646" "6226789" "6226789").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 14:51
S90	1	"20030131344".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05
S91	3320	717/136-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05
S92	2193	unif\$5 near (variable instruction code statement)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05

S93	2474	(reduc\$3 compres\$4 optimiz\$5)	US-PGPUB;	OR	ON	2005/10/27 13:05
373	24/4	near5 (size space) near5 (code)	USPAT; EPO; JPO; IBM_TDB		OIT	2003/10/27 13:03
S94	2105924	handle tine unif\$5 interference data adj (dependence dependance)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05
S95	1823473	handle tine unif\$5 (interference data adj (dependence dependance)) near5 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05
S96	94829	(handle tine unif\$5) same (graph code variable instruction) (interference data adj (dependence dependance)) near5 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05
S97	932	S96 and S91	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05
S98	33	S92 and S91	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05
S99	2193	unif\$5 near (variable instruction code statement)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05
S10 0	2474	(reduc\$3 compres\$4 optimiz\$5) near5 (size space) near5 (code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05
S10 1	3320	717/136-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05
S10 2	94829	(handle tine unif\$5) same (graph code variable instruction) (interference data adj (dependence dependance)) near5 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05
S10 3	1	"20030131344".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05
S10 4	1051	(S99 S100 S102) and S101	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05

S10 5	404	S104 and @py<"2002"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05
S10 6	874	(interference data adj (dependence dependance)) near5 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05
S10 7	274	(interference data adj (dependence dependance)) adj5 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05
S10 8	172	(interference data adj (dependence dependance)) adj2 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05
S10 9	363	(interference data adj (dependence dependance)) near2 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05
S11 0	3320	717/136-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05
S11 1	90	S110 and S107	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05
S11 2	85	S110 and S108	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05
S11 3	88	S110 and S109	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05
S11 4	95	S110 and S106	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05
S11 5	3320	717/136-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05
S11 6	2193	unif\$5 near (variable instruction code statement)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05

S11 7	2474	(reduc\$3 compres\$4 optimiz\$5) near5 (size space) near5 (code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05
S11 8	2105924	handle tine unif\$5 interference data adj (dependence dependance)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05
S11 9	1823473	handle tine unif\$5 (interference data adj (dependence dependance)) near5 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05
S12 0	94829	(handle tine unif\$5) same (graph code variable instruction) (interference data adj (dependence dependance)) near5 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05
S12 1	932	S120 and S115	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05
S12 2	2193	unif\$5 near (variable instruction code statement)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05
S12 3	2474	(reduc\$3 compres\$4 optimiz\$5) near5 (size space) near5 (code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05
S12 4	3320	717/136-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05
S12 5	94829	(handle tine unif\$5) same (graph code variable instruction) (interference data adj (dependence dependance)) near5 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05
S12 6	172	(interference data adj (dependence dependance)) adj2 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05
S12 7	363	(interference data adj (dependence dependance)) near2 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05
S12 8	3320	717/136-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05

S12 9	274	(interference data adj (dependence dependance)) adj5 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05
S13 0	90	S128 and S129	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05
S13	85	S128 and S126	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05
S13 2	88	S128 and S127	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05
S13 3	1	"20030131344".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05
S13 4	1	"20030131344".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05
S13 5	9	("6070220" "6272672" "5937183" "5784276" "5812855" "5819094" "5761511" "5315646" "6226789" "6226789").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05
S13 6	33	S116 and S115	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05
S13 7	874	(interference data adj (dependence dependance)) near5 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05
S13 8	95	S128 and S137	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR .	ON	2005/10/27 13:05
S13 9	274	(interference data adj (dependence dependance)) adj5 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05
S14 0	1051	(S122 S123 S125) and S124	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05

	···	,				
S14 1	404	S140 and @py<"2002"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05
S14 2	874	(interference data adj (dependence dependance)) near5 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05
S14 3	1051	(S122 S123 S125) and S124	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:05
S14 4	270	dependence graph and (instruction or code or statement)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/10/27 13:14
S14 5	1165	(dependenc\$1 dependanc\$1) adj5 graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/30 11:29
S14 6	862	(dependenc\$1 dependanc\$1) adj graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/30 11:29

4/30/06 7:50:28 PM Page 18
C:\Documents and Settings\AFowlkes\My Documents\EAST\Workspaces\SYSTEM AND METHOD TO REDUCE THE SIZE OF EXECUTABLE